

Material Safety Data Sheet

4200/4250 Series

Section 1. Chemical Product and Company Identification

Product Name: 4200/4250 Series

Product Use: Adhesive coated plastic film for use in graphic applications

Manufacturer: FDC Graphic Films, Inc.
3820 William Richardson Drive
South Bend, IN 46628
574-273-4400
574-273-4500

Emergency Phone Numbers: 800-634-7523 [Please confirm]

Information Contacts: For technical information contact your technical sales representative. For Additional **health/safety/regulatory** information please contact Chemical Information Specialist at 574-273-4400.

Section 2. Hazardous Ingredients

Under normal use this product does not release or result in exposure to a hazardous chemical.

Section 3. Physical Data

Boiling Point	NA
Vapor Pressure (MM HG @ 20 Celcius)	NA
Vapor Density (AIR=1)	NA
Solubility in water	NA
Specific Gravity (H ₂ O=1)	Varies by Color
Percent Volatile (By weight)	NA
Evaporation Rate (N-Butyl Acetate=1)	NA
Appearance	Varies Colors
Odor	Slight

Section 4. Fire & Explosion Hazard

Flash Point (Degrees Fahrenheit TCC)	NA
Explosive Limits LEL-UEL	NA
Extinguishing Media	Carbon Dioxide
Special Fire Fighting Procedures	Wear self-contained breathing apparatus Wear protective clothing to prevent contact with skin
Usual Fire and Explosion Hazards	Decomposition by burning may yield toxic gas

Section 5. Health Hazard Data

Threshold Limit Value	NA
Effects of Single over Exposure	NA
Effects of Chronic over Exposure	NA
Emergency and First Aid Procedures	If exposed to fumes flush with water. Get medical attention.

Section 6. Special Precautions

Respiratory Protection	NA
Ventilation	Provide sufficient ventilation if exposed to hot processing.
Eye Protection	NA
Protective Clothing	NA
Other	No evidence of ill effects recorded. However, ingestion of large amounts may have irritating action on the throat.

Section 7. Reactivity Data

Stability	Stable under foreseeable conditions.
Incompatibility	NA
Hazardous Decomposition Products	Carbon Dioxide, Carbon Monoxide, Acrylic Monomers, Smoke and Other possible toxic decomposition products.
Hazardous Polymerization	Will not occur.

Section 8. Spill or Leak Procedures

If material is released or spilled	NA
Waste disposal method	Incineration recommended. Dispose of in compliance with federal, state, and local regulations.

Section 9. Special Precautions

Handling and Storage	Keep away from Heat and Flame. Store in cool, dry place.
----------------------	---

Section 10. Regulatory Information

TASCA Ingredients listed in TASCA

SARA 311 and 312

Immediate	Health Hazard	None
Delayed	Health Hazard	None
Fire Hazard		No
Reactivity Hazard		No
Sudden Release of Pressure		No

SARA Section 313

This product does not contain toxic chemicals subject to the reporting requirements.

Ozone Depleting Substances

This product does not contain or is manufactured with ozone depleting compounds.

Volatile Organic Compounds NA

State Regulations

California

This product does not contain compounds listed in proposition 65.

Disclaimer of Liability:

The information contained herein is, to best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by the use of this material. All chemicals may present unknown health hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that those are the only hazards, which exist. Final determination of suitability of the material is the sole responsibility of the user. No representations or warranties, either expressed or implied, of MERCHANTABILITY, fitness for a particular purpose or any other nature are made hereunder with respect to the information contained herein or the material to which the information refers. It is the responsibility of the user to comply with all applicable federal, state, and local laws and regulations.

Revised: November 5, 2002

Supersedes: New

MSDS No.: T10